ANALYTICA CHIMICA ACTA, VOL. 222 (1989)

AUTHOR INDEX

Agterdenbos, J., see van Elteren, J.T. 159
Alder, J.F., see Bentley, A.E. 63
Alegret, S.
—, Alonso, J., Bartroli, J., Domenech, J., Jaffrezic-Renault, N. and Duvault-Herrera, Y.
Flow-through pH-ISFET detector for flow-injection analysis 373
Aleixo, L.M., see Reis, B.F. 379
Alonso, J., see Alegret, S. 373
Ando, T., see Yamamoto, G. 121

Bachas, L.G., see Blair, T.L. 253
Bardeletti, G., see Peguin, S. 83
Bartroli, J., see Alegret, S. 373
Bentley, A.E.
— and Alder, J.F.
Optical fibre sensor for detection of hydrogen cyanide in air. Part 1. Reagent characterization and impregnated bead detector performance 63
Bershtein, I. Ya.
—, Mogilnitsky, M.M. and Komarov, E.V.
Numerical investigation of polynomial methods for differentiating absorption spectra 335
Biron, M.-P., see Boitieux, J.-L. 235
Blair, T.L.
—, Daunert, S. and Bachas, L.G.
Naphtho-crown ethers as ionophores in ion-selective electrodes 253
Boitieux, J.-L.
—, Biron, M.-P. and Thomas, D.
Bioaffinity electrochemical sensor. Study of the reversibility of immunocomplexes 235
Bos, M., see van Nugteren-Osinga, I.C. 151

Cai, R., see Chen, D. 205
Chen, D.
—, Cai, R. and Zeng, Y.
Simultaneous spectrophotometric determination of lanthanum and calcium with an automated flow-injection analyzer 205
Chou, T.-C., see Xia, Y.-H. 263
Coulet, P.R., see Peguin, S. 83
Crisponi, G., see Nurchi, V. 359
Cruces Blanco, C., see Garcia Sanchez, F. 177

Das, H.A., see van Elteren, J.T. 159
Daunert, S., see Blair, T.L. 253
Dehairs, F.
—, Neybergh, H. and Hoenig, M.
Direct determination of dissolved barium in sea water by inductively coupled plasma/atomic emission spectrometry 55
De Ligny, C.L., see van Elteren, J.T. 159
De Robertis, A.
—, De Stefano, C., Sammartano, S. and Rigano, C.
SCALPO, a computer program for simulating calorimetric and potentiometric titration curves 385
De Stefano, C., see De Robertis, A. 385
Doblhoff-Dier, O.
— and Rechnitz, G.A.
Amperometric method for the determination of superoxide dismutase activity at physiological pH 247
Domenech, J., see Alegret, S. 373
Duvault-Herrera, Y., see Alegret, S. 373

Eckert, J.M.
—, Leggett, K.E.A., Keene, J.B. and Williams, K.L.
Coprecipitation of manganese from marine sediment pore waters for x-ray fluorescence spectrometry 169

Friedrich, H.B.
—, Sevenich, D.M., Gasper-Galvin, L.D. and Rethwisch, D.G.
Infrared spectroscopic determination of methylchlorosilanes from the direct process reaction 221

Gamoh, K.
— and Takatsuto, S.
A boronic acid derivative as a highly sensitive fluorescence derivatization reagent

for brassinosteroids in liquid chromatography 201
Garcia Sanchez, F.
— and Cruces Blanco, C.
Synchronous derivative room-temperature phosphorescence determination of warfarin in blood serum 177
Gasper-Galvin, L.D., see Friedrich, H.B. 221
Godinho, O.E.S., see Reis, B.F. 379
Grahl-Nielsen, O., see Hove, H.T. 35
Gründig, B.
— and Krabisch, Ch.
Electron mediator-modified electrode for the determination of glucose in fermentation media 75

Hayashi, Y.
— and Matsuda, R.
Modification of the function of mutual information based on information theory and the Kalman filter for chromatographic optimization 313
Hayashi, Y., see Matsuda, R. 301
Hobo, T., see Nagashima, K. 211
Hoenig, M., see Dehairs, F. 55
Hove, H.T.
—, Grahl-Nielsen, O. and Rogstad, A.
Assay for dinoflagellate toxins in mussels by gas chromatography and principal components analysis 35

Ingle, Jr., J.D., see Liu, Y. 279
Ishibashi, M., see Matsuda, R. 301

Jaffrezic-Renault, N, see Alegret, S. 373

Kateman, G., see Klaessens, J. 1, 19
Keene, J.B., see Eckert, J.M. 169
Khan, S.H., see van den Berg, C.M.G. 43
Khopkar, S.M., see Vibhute, R.G. 215
Kimura, T., see Yamamoto, G. 121
Klaessens, J.
—, Sanders, J., Vandeginste, B. and Kateman, G.
LABGEN, expert system for knowledge-based modelling of analytical laboratories. Part 2. Application to a laboratory for quality control 19
Klaessens, J.
—, van Beysterveldt, L., Saris, T., Vandeginste, B. and Kateman, G.
LABGEN, expert system for knowledge-based modelling of analytical laboratories. Part 1. Laboratory organization 1
Komarov, E.V., see Bershtein, I. Ya. 335
Krabisch, Ch., see Gründig, B. 75

Leggett, K.E.A., see Eckert, J.M. 169
Liang, Y.-Z.
— and Yu, R.-Q.
Simple algorithm for selection of the optimal sequence of chromatographic columns 369
Liang, Y.-Z.
—, Xie, Y.-L. and Yu, R.-Q.
Accuracy criteria and optimal wavelength selection for multicomponent spectrophotometric determinations 347
Liu, Y.
— and Ingle, Jr., J.D.
Measurement and compensation for metal complex dissociation in speciation studies with an automated two-column ion-exchange system 279

Matsuda, R., see Hayashi, Y. 313
Matsuda, R.
—, Hayashi, Y., Ishibashi, M. and Takeda, Y.
Use of a function of mutual information for optimization of mobile-phase composition in reversed-phase liquid chromatography 301
Meyerhoff, M.E., see Trojanowicz, M. 95, 109
Mo, J.-Y., see Xia, Y.-H. 263
Mogilnitsky, M.M., see Bershtein, I.Ya. 335
Moody, G.J., see Nagashima, K. 211
Morgan, J.W.
— and Walker, R.J.
Isotopic determinations of rhenium and osmium in meteorites by using fusion, distillation and ion-exchange separations 291

Nagaoka, T.
—, Uchida, Y. and Ogura, K.
Mechanisms of uptake of alkali and alkaline earth metal ions into electrochemically pretreated glassy carbon 127
Nagashima, K.
—, Hobo, T., Moody, G.J. and Thomas, J.D.R.

Studies on a PVC matrix membrane barium ion-selective electrode based on barium bis-4-(1,1,3,3,-tetramethylbutyl)-2,6-dinitrophenoxide 211
Neybergh, H., see Dehairs, F. 55
Nurchi, V.
— and Crisponi, G.
Determination of ionization constants of a polyprotic acid with use of least-squares methods 359

Ogura, K., see Nagaoka, T. 127

Papanastasiou, G.
— and Ziogas, I.
Acid-base equilibria in ternary water/methanol/dioxane solvent systems. Determination of pK values of citric acid at 25 °C 189
Peguin, S.
—, Coulet, P.R. and Bardeletti, G.
Pyruvate oxidase and oxaloacetate decarboxylase enzyme electrodes. Simultaneous determination of transaminases with a two-electrode-based analyzer 83
Pérez-Bendito, D., see Quintero, M.C. 269
Pobozy, E., see Trojanowicz, M. 109

Quintero, M.C.
—, Silva, M. and Pérez-Bendito, D.
Stopped-flow determination of maneb in formulations and its residues on grain 269

Rechnitz, G.A., see Doblhoff-Dier, O. 247
Reis, B.F.
—, Godinho, O.E.S., Aleixo, L.M. and Rohwedder, J.J.R.
A device for stepwise addition of titrant in automated potentiometric titrations 379
Ren, Y., see Zhang, P.-X. 323
Rethwisch, D.G., see Friedrich, H.B. 221
Rigano, C., see De Robertis, A. 385
Riley, J.P., see van den Berg, C.M.G. 43
Rogstad, A., see Hove, H.T. 35
Rohwedder, J.J.R., see Reis, B.F. 379

Sammartano, S., see De Robertis, A. 385
Sanders, J., see Klaessens, J. 19
Saris, T., see Klaessens, J. 1
Sevenich, D.M., see Friedrich, H.B. 221
Silva, M., see Quintero, M.C. 269
Sjoegren, C.E., see Vogt, N.B. 135

Takatsuto, S., see Gamoh, K. 201
Takeda, Y., see Matsuda, R. 301
Thomas, D., see Boitieux, J.-L. 235
Thomas, J.D.R., see Nagashima, K. 211
Trojanowicz, M.
— and Meyerhoff, M.E.
Replacement ion chromatography with potentiometric detection using a potassium-selective membrane electrode 95
Trojanowicz, M.
—, Pobozy, E. and Meyerhoff, M.E.
Direct and replacement ion chromatography with potentiometric detection using a silver/silver bromide electrode 109

Uchida, Y., see Nagaoka, T. 127

Van Beysterveldt, L., see Klaessens, J. 1
Vandeginste, B, see Klaessens, J. 1, 19
Van den Berg, C.M.G.
—, Khan, S.H. and Riley, J.P.
Determination of tin in sea water by adsorptive cathodic stripping voltammetry 43
Van der Linden, W.E., see van Nugteren-Osinga, I.C. 151
Van Elteren, J.T.
—, Das, H.A., De Ligny, C.L. and Agterdenbos, J.
Determination of arsenic (III/V) in aqueous samples by neutron activation analysis after sequential coprecipitation with dibenzyldithiocarbamate 159
Van Nugteren-Osinga, I.C.
—, Bos, M. and van der Linden, W.E.
Use of the Hunt filter to optimize the determination of impulse-response functions of individual component parts of flow-injection manifolds 151
Vibhute, R.G.
— and Khopkar, S.M.
Liquid-liquid extraction of thallium(III) from sulphuric acid-iodide solutions with crown ethers 215
Vogt, N.B.
— and Sjoegren, C.E.
Investigation of chemical and statistical methods for oil-spill classification 135

Walker, R.J., see Morgan, J.W. 291
Williams, K.L., see Eckert, J.M. 169

Xia, Y.-H.
—, Chou, T.-C. and Mo, J.-Y.
Studies on film potentiometric stripping analysis 263
Xie, Y.-L., see Liang, Y.-Z. 347

Yamamoto, G.
—, Yoshitake, K., Kimura, T. and Ando, T.
Gas chromatographic determination of traces of fluoride with several alkylsilane extractants 121
Yoshitake, K., see Yamamoto, G. 121
Yu, R.-Q., see Liang, Y.-Z. 347, 369

Zeng, Y., see Chen, D. 205
Zhang, P.-X.
— and Ren, Y.
Flexible tolerance simplex method and its application to multicomponent spectrophotometric determinations 323
Ziogas, I., see Papanastasiou, G. 189